

CATEGORY 5		MONOHULLS & MULTIHULLS	Races with limited rescue availability in protected waters in daylight and sheltered waters at night
DATE OF AUDIT ____/____/____	SAIL NO:	BOAT NAME:	

Compliance Form valid until 30<sup>th</sup> June next from the date of this form, or \_\_\_\_/\_\_\_\_/\_\_\_\_ whichever is the earlier. Subject to spot checks Regulation 2.02.2

**OWNER DETAILS**

OWNER/S NAME:			
OWNER/S YA NO:		OWNER/S CLUB	

**BOAT DETAILS**

SAIL NO:		BOAT NAME:	
LOA:		DISPL (tonnes):	
HULL MATERIAL:		HULL COLOUR:	
DECK MATERIAL:		DECK COLOUR:	
MAX CREW:		DISTINGUISHING MARKS:	
RELEVANT (MARITIME) HULL REGISTRATION NO:			
RELEVANT (MARITIME) STICKER ISSUED YES NO			

**AMSA/ACMA REGISTRATION NUMBERS**

SR 3.25:- ACMA Marine Transceiver Licence Yes/No		Registered call sign HF:-	
SR 4.18.1- EPIRBS :- Registered Yes/No		Number of units for boat:-	Number to be hired:-
SR 5.05.1- At NIGHT PLBs:- Registered Yes/No		Number of units for boat:-	Number to be hired:-

**DECLARATION BY OWNER/PERSON IN CHARGE**

I have read and understand my obligations as Owner/Person in Charge set out in the YA Special Regulations 2013-2017 in particular 1.02.1,1.02.2, 1.02.3- Owners Responsibility and 2.03.1(a)- Function of equipment. I understand that this audit is carried out only as a guide to Owners/Persons in Charge and Race Organising Authorities. An Auditor/Inspector does not limit or reduce the complete and unlimited responsibility of the Owner or Person in Charge as defined in regulations 1.02.1, 1.02.2 and 1.02.3- Owner's Responsibility and 2.03.1.

I undertake that all of the boat's equipment as specified in the YA Special Regulations 2013-2017 will remain on the boat and continue to be in good working order and repair for the duration of each and every race.

Items designated with a shaded box are  Owner/Person in Charge to ensure compliance when racing and must also be initialled by the Owner/Person in Charge.

Signed by Owner/Person in Charge

Date

**EQUIPMENT AUDITOR DECLARATION**

I have checked the equipment in accordance with 2.02.2 summarised in the following list for the above mentioned boat and the equipment listed was found to be on board at the time and date of this Audit.

Audited by (print name):	Signed by Equipment Auditor:
YA Number:	Date:

**OUTSTANDING ITEMS - The Equipment listed over the page was complete except for the following items**

Equipment Outstanding	Re-Inspected by	YA Auditor No.	Date

CATEGORY 5		MONOHULLS & MULTIHULLS	Races with limited rescue availability in protected waters in daylight and sheltered waters at night
DATE OF AUDIT ____/____/____	SAIL NO:	BOAT NAME:	

**YA Special Regulations 2013-2016 Equipment List**

This Section to be completed and **initialled** by Owner/Person in Charge (O) and Auditor/Inspector (EA)

Reg	Equipment	O	EA
2.03.1	Equipment functions and adequate for intended use		
2.03.2	Ballast & heavy equipment secured		
3.06.1 (b)	If carrying fuel or gas below decks then 2 exits 1 forward of mast;		
3.07.1	Open outward if fwd of Bmax , except less than 0.071m <sup>2</sup>		
3.07.2	(a)(i) Hatches above water when heeled 90°.		
	(a) ii non complying permitted; size<.071m <sup>2</sup> Kept shut while racing		
	(b) Immediately shut, permanently attached lid		
3.07.3	Blocking device for low sill companionway		
3.07.4 (a)	Companionway hatch strong securing arrangement securing hatch in closed position		
	(i) operable from above and below		
3.07.4 (b)	Blocking Devices	(i) retained hatch open or shut	
		(ii) secured to boat with lanyard	
		(iii) permit exit in event of inversion	
3.08.1	Cockpit strong, self draining at all angles of heel, permanent and integral part of hull		
3.08.2	Cockpit essentially watertight		
3.08.3	Bilge pump outlet not connected to cockpit drain		
3.08.4	Cockpit floor 2% of LWL above loaded water line		
3.08.5	Wells-Bow, lateral, central, stern wells, included in cockpit volume		
3.08.7	Number of cockpit drains		
	Age/Series Date before 07/1977 2 x 25mm Age /Series Date after 07/1977 4 x 20mm		
3.08.8	<b>Multihull</b> minimum drain sizes after allowance for screen 20cm <sup>2</sup> per m <sup>3</sup>		
3.09.1	(a) Sea cocks permanently installed.		
	(b) Plugs for each opening attached /stowed near		
3.10.1	Sheet Winches operator not below deck		
3.12.3 If fitted	(d) Pulpit top rails no lower than upper lifelines		
	(e) Openable upper rails able to be secured whilst racing		
	(f) Pulpits & stanchions permanently installed		
	(g) Pulpits & stanchion bases inboard no more than greater of 5% of max beam or 150mm		
	(h) Stanchion bases not outboard		
	(i) Lifeline terminals may be aft of working deck if lifeline enclosure within working deck		
	(j) If lifelines not fixed to bow pulpit, gap less than 150mm		
3.12.6 If fitted	(k) Stanchions straight, vertical or angled not more than 10 degrees from 50mm above deck		
	(a) Lifelines uncoated stainless steel wire		
	(b) Lifeline coating not moulded to wire		
	(d) Gap secured by lanyard 100mm or less Lanyard replaced annually		
	(e) Strength lifeline system, wire size comply		
3.14.2	Toe rail not required on <b>multihulls</b>		
3.15.2 <b>Night</b>	Toilet, securely fastened or fitted bucket		
3.17.2	Cooking stove/heating appliance if installed securely fastened, accessible shutoff		
3.17.3	Gas only permitted for cooking		
	Methylated spirits acceptable for cooking		
3.17.4	(a) REMEMBER to turn off Gas sign		
	(b) Gas detection system if appliance uses a pilot light		

3.17.5	Disposable gas canister to be 225 gms or less		
3.17.6	Gas bottle, spare canisters in separate, ventilated, self draining locker, vapour can escape overboard		
3.18.4	Emergency drinking water 9 ltrs		
3.19.1	Handholds below decks		
3.20.6	Bilge pump not to discharge into closed cockpit or Bilge pump not connected to cockpit drains		
3.20.7	a) Bilge pump minimum suction bore 25mm		
	b) Bilge pump & strum boxes accessible		
3.20.8	1 manual pump if space below floorboards precludes access for bucket bailing		
3.20.9	2 x 8ltr buckets <b>stout</b> construction with lanyard		
3.21.1	Marine magnetic compass permanently installed, non electric, ship's deviation card		
3.22.1	Minimum 2 halyards per mast		
3.23.1	N	Navigation lights carried complying with IRPCAS	
3.23.2		Not masked by sails or heeling	
3.23.3		Not mounted below deck level	
3.23.4		Reserve Navigation lights, and Independent of main power	
3.24.3	Inboard engine to SR 3.24.1, OR outboard engine with tanks, fuel supply all securely fastened		
3.24.4	Outboard motors able to be mounted and raised		
3.24.5	Minimum speed, charging & fuel comply		
3.24.6	Separate starter battery		
3.24.7	Separate generators, if carried & permanently installed; covered; exhaust, fuel supply & tank also permanently installed		
3.24.8	Fuel tank shut off valve/cocks(s) ) if fuel can escape or siphoning possible		
3.24.9	(a) Inboard petrol tanks permanently installed, metal, vented to open air, electrically grounded, filler position prevents fuel/vapour entering boat	(b) diesel tanks metal or other certified material	
		(c) fuel lines comply	
		(d) outboard motor remote fuel tank & lines comply	
		(e) no petrol in portable containers below deck	
		(f) no flexible diesel tank unless incorporating a liner	
		(iii) From 1/7/13 if carried, newly installed VHF to be permanently installed and to be DSC capable	
3.25.1 (b)	If carried:-		
3.25.4	a) VHF min power 25 watts		
	b) masthead antenna if mast 11m above water		
	c) transmission test over 8n.miles minimum		
3.25.5	(b) Emergency antenna if main antenna mast mounted		
3.25.7	Radio receiver for weather bulletins		
3.25.9	If a radio carried;1 radio operator to hold MROCP;MROVCP or RROCP Certificate		
3.28.1	Hull Identification, minimum 50mm; name, club, sail number OR State Marine Authority registration		
4.01.1	Sail numbers as per RRS Appendix G		
4.02.1	Plugs through hull openings ( SR 3.09)		
4.04.1	(a) fire extinguishers to AS1841.5 / AS1841.6, readily accessible, inspection Date ...../...../.....		
	(b) if naked flame, auxiliary engine then 1 x 10BE		
	(c) if LPG or petrol below deck additional 1 x 10BE		
	(d) Fire blanket if cooking facilities		
4.05.1	(a) Anchor & ground tackle as per Table 1		

CATEGORY 5	MONOHULLS & MULTIHULLS	Races with limited rescue availability in protected waters in daylight and sheltered waters at night
DATE OF AUDIT ____/____/____	SAIL NO:	BOAT NAME:

	(b) Anchor & warps sizes as per Table 2 or Table 3 Type.....kgs.....		
	(d) strong point for bitter end		
4.06.2	flashlight floating type, spare batteries & bulbs		
4.07.2	First aid manual		
4.07.4	Medical Kit,		
4.07.9	Medical Kit waterproof container; contents listed; Alternative brands permitted		
	Water proof container; contents listed; Alternative brands permitted Medical Kit, <b>CONTENT LIST SEE END OF FORM</b>		
4.10.1	(a) Charts (not solely electronic), plotting equipment		
	(c) List of lights or charts with light details		
4.10.3	YA Racing rules 2013-2016		
4.14.1 N	Emergency tiller if not tiller steered		
4.14.2 N	Alternative steering method demonstrated		
4.15.1	Tools, spares parts, effective way to cut rigging		
4.15.3	Sharp knife sheathed, restrained in or near cockpit		
4.16.1	Name on all buoyant equipment & items		
4.16.2	Personal PFD marked to identify owner		
4.17.1	Retro-reflective tape lifebuoys, lifeslings,		
4.18.5 (b)	EPIRB if carried from 1/7/2015 GPS capable		
4.22.1 Flares	Waterproof container		
	2 x red hand		
	2 x orange smoke		
	Earliest expiry date / /		
4.23	Heaving line not less than 15m		
4.24.1	(c) Heavy weather jib, no reef points, area complies		
4.24.1	(e) Trysail or Mainsail with 25% reefing		
4.24.3 Storm sails	(a) Highly-visible colour only if purchased after 07/2005; or prior Highly-visible colour or patches 20% of area		
	(b) rotating wing mast used in lieu of trysail highly coloured visible patch each side of mast		
	(c) Sheeting positions storm, heavy weather sail		
	(d) storm or heavy weather jib alternate means of attachment independent of luff groove device		
	(e) sail number letter(s) on trysail		
4.24.4	(a) Aromatic polyamides, carbon fibre & similar not in storm jib, trysail		
4.26.1	Retrieval method of crew from water		
4.27.1	V Distress sheet or International signal		
5.01.1 PFD	(a) Number PFDs		
	(f) all minimum level 50 or 50N Number PFD Type 1..... Number PFDs Type 2..... Number PFDs AS 4758.....		
	(g) If no lifelines complying 3.12, then PFD Type 1 or 2 or AS 4758 worn by each crew on deck		
	5.01.2 PFD	Complying with AS1512 or AS1499 or AS4758 (minimum level 50) or (iv)equivalent or more stringent overseas standard	

	(v) Branded with respective standard mark of approval		
5.01.1 (e) N	<b>At night</b> complying with AS1512 or AS4758 minimum level 100		
5.01.5	PFD if inflatable, compressed gas system		
5.01.6	Each inflatable PFD1 Service date/s ...../...../.....		
5.01.6	Each non inflatable PFD annual check		
5.03.1 N	Personal light (strobe or SOLAS LSA2.2.3); carried or attached to each crew on deck at night		

4.09 FIRST AID KIT CONTENTS LIST	
Paracetamol 500mg (eg Panadol) or Ibuprofen 200 mg (eg Nurofen) x 40	Band-aids or equivalent roll of bandaid x 20
Soluble Aspirin (eg Disprin) x 20	Normal saline (for washing) - 250ml x 1
Disposable gloves x 10	Sunscreen 30+SPF 250ml x 1
Crepe bandages 75mmx1.5m x 2	Scissors, stainless steel x 1
Low absorbency non-adherent dressing (eg Melolin) x 5	1 x CPR mask or 6 x face shields

ADDITIONAL EQUIPMENT REQUIRED BY N o R if any			

END OF LIST